




ENVIRONMENTAL PRODUCT DECLARATION  
in ACCORDANCE WITH ISO 14025:2010 and EN 15804:2012+A2:2019/AC:2021



MARBLE SLAB FROM “BETTOGLI” QUARRY, 2 AND 3 CM THICKNESS  
EPD of multiple products, based on a representative product

Revision: 2025-11-17 (Versione 6)

Registration number: S-P-02321

Date of publication: 2020-12-11

Valid until: 2030-11-16

Programme: The International EPD System

Programme operator: EPD International AB

An EPD may be updated or depublished if conditions change.

To find the latest version of the EPD and to confirm its validity, see [www.environdec.com](http://www.environdec.com)



He foretold their monumental future to the shapeless heaps of stones and beams that lay around us; and those materials, at his voice, seemed dedicated to the one and only place to which the fates propitious to the goddess would have assigned them.

“Eupalinos: Or, The Architect”

*Paul Valéry*




## Summary

General information .....	5
Company profile .....	7
Mission .....	9
The culture of marble .....	11
The quarry NERA BETTOGLI 68B .....	13
Product description .....	15
<i>Content declaration</i> .....	15
<i>Biogenic Carbon Content</i> .....	15
System boundary .....	17
Production (A1-A3) .....	19
End of life (C1-C2-C3-C4) .....	21
Cut off .....	21
Data quality declaration .....	23
Environmental performance .....	24
Production stages (A1-A3) .....	24
Resource consumption .....	26
Waste .....	28
Additional indicator .....	28
Acronyms .....	31
Verification and registration .....	33
References .....	34
Contact information .....	35

HEART  
MIND  
IDEAS

Stone does not age on a human scale, instead time only makes it more fascinating, and in our Bel Paese one must only have a look around to realize this.

Stone at its essence is a project, stone is about evolution; moving forward... heart, mind, and ideas.



## General information

EPD PROGRAMME	The International EPD® System • www.environdec.com
ADDRESS	Box 210 60, SE-100 31 Stockholm, Sweden - EPD International AB
Website	www.environdec.com
E-mail	support@environdec.com
PRODUCT CATEGORY RULES (PCR)	CEN standard EN 15804 serves as the Core Product Category Rules (PCR) International EPD System - PCR 2019:14 - "Construction product" Version 2.0.1 PCR review was conducted by: The Technical Committee of the International EPD System. The review panel may be contacted via support@environdec.com Chairs of the PCR review: Rob Rouwette (chair), Noa Meron (co-chair).
EPD PREPARED BY	Ing. Carlo Grassi, Dr. Jonatha Trabucco
OWNER OF THE DECLARATION	FRANCHI UMBERTO MARMI S.p.A. - Carrara (MS) - via del Bravo 14 - ITALY
WEBSITE	www.fum.it
Third-party Verification	Independent third-party verification of the declaration and data, according to ISO 14025:2006, via: <input checked="" type="checkbox"/> <b>Individual EPD verification without a pre-verified LCA/EPD tool</b>
Third-party verifier	DNV Business Assurance Italia S.r.l. (via Energy park, 14 – 20871 Vimercate - Italy) Accredited by: ACCREDIA (accreditation number 00010VV) Procedure for follow-up of data during EPD validity involves third party verifier: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
UN CPC CODE	151 Monumental and building stone 15120 "Marble and other calcareous monumental or building stone"
GEOGRAPHICAL SCOPE	International
EPD REGISTRATION NUMBER	S-P-02321
APPROVAL DATE	2020-09-29
VALID UNTIL	2030-11-16
PRODUCT DESCRIPTION	Marble slabs, 2 and 3 cm thick from Apuan district (Bettogli quarry)
APPLICATIONS	Use in architecture and construction for flooring or cladding
SCOPE OF APPLICATION OF THE LCA	The LCA analysis was carried out according to the ISO 14025, ISO 14040, ISO 14044 and EN 15804 standards. Both specific data from the production process and data from the Ecoinvent 3.10 database were used. Life cycle impact assessment methods used: core environmental impact indicators of EN 15804:2012+A2:2019/AC:2021. The characterisation factors (CF) are based on version 3.1 of the reference package for CFs used in the PEF framework (EF 3.1). LCA performed with OpenLCA software version 2.4.1 LCA study covers the production phases of raw materials and energy; transport of materials; production at company sites; the end of life of the material. The declared unit is 1 m of processed marble slab from the quarry called "Bettogli B" of different thicknesses: <ul style="list-style-type: none"> <li>• Bettogli 2 cm</li> <li>• Bettogli 3 cm</li> </ul>

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but published in different EPD programmes, may not be comparable. For two EPDs to be comparable, they shall be based on the same PCR (including the same first-digit version number) or be based on fully aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have identical scope in terms of included life-cycle stages (unless the excluded life-cycle stage is demonstrated to be insignificant); apply identical impact assessment methods (including the same version of characterisation factors); and be valid at the time of comparison. For further information about comparability, see EN 15804 and ISO 14025.



## Company profile

The story of Franchi Umberto Marmi began 50 years ago, in 1971, when a man's creative thinking brought life to an entity that still today relies on the immeasurable value of sharing.

Sculpted day after day with profound determination, almost as if it were itself a block of marble, the company has come to represent the world of beauty and exclusivity of this incredible natural stone.

Franchi Umberto Marmi is part of a single district of Carrara and a continuously growing and highly competitive excellence.

Every day over 40 employees contribute to the dissemination of the culture of this precious natural stone, authentic expression of "Made in Italy" in the world.

Franchi Umberto Marmi covers all stages of the production and distribution process, thus ensuring the absolute quality of the product, whether it is slabs or entire blocks.

The activity is mainly centered within the 59,000 square meters of the Carrara headquarters, which make the company the largest exhibition space dedicated to Carrara marble.

Here, the classic majesty of the spaces meets the functionality of innovative management.

A perfect balance that has always inspired Franchi Umberto Marmi's business strategy.



ranchiumbertomarmi

## Mission

Franchi Umberto Marmi operates according to the modern and ancient company vision that puts the man, employee or customer, in the foreground, combining all this with the philosophy of continuous improvement and courageous change, putting new materials and new ideas on the market.

The company offers customer assistance and care, ready to solve any problem. Different projects in different locations in the world, different needs, need for different symbols, all dealt with our means, people and absolute professionalism.

Following this conception, the company intends to operate on the market following these corporate values:


- customer satisfaction
- honesty and transparency
- excellence
- creation of value
- passion
- flexibility and dynamism
- teamwork
- respect
- trust
- growth and development
- sense of family and sense of belonging to the team
- tradition and innovation

Export markets

- Italy
- France
- England
- Middle East
- China
- India
- Brazil
- United States
- Mexico
- Spain
- Canada

Expanding markets

- Russia
- Libya
- Tunisia
- South Africa
- Ukraine
- Argentina
- Vietnam



## The culture of marble

Franchi Umberto Marmi is committed to bringing the culture of marble, as a culture of the city of Carrara, all over the world and in the most prestigious places. The company wants to spread the message of the beauty of the material that nature offers us to carry out the most important projects, promoting the concrete sense of value, elegance and excellence that marble brings with its use.

It has supplied the marbles that characterize prestigious projects such as:

- ◆ Tower One project of the World Trade Center
- ◆ New wing of Mecca in Jeddah
- ◆ Ebury Square Corinthia Hotel in London
- ◆ 220 Central Park and Park Avenue 1010 in New York
- ◆ Numerous Yves Saint Laurent stores

Added to this is the company's desire to achieve ever better organizational levels.

In this direction Franchi Umberto Marmi has equipped itself with a STANDARD MANAGEMENT SYSTEM COMPLIANT:



EPD



ISO-45001  
2018



ISO-14001  
2015




ISO-9001  
2015



2019 AWARD FOR EXHIBITORS AT THE FAIR  
BEST COMMUNICATOR AWARD BY MARMOMACC

## NERA BETTOGLI 68B

The “NERA BETTOGLI 68 B” quarry is located in Bettogli, near Carrara. It belongs to the marble basin of Miseglia and access to the area is from the district road on the Torano side, reaching the top of the quarrying area located in an area between 599-653 masl.



## The quarry-NERA BETTOGLI 68B



BETTOGLI MARMI was founded in 1987; already at that date the quarry was in the company availability, due to a historic acquisition of 1948 completed in several steps, with the acquisition of the last areas in 2008. Currently, BETTOGLI MARMI has a mining area extending approximately 124,000 square meters in total.

The areas covered by the excavation project extend over an area of about 23'000 square meters.

The authorized project involves a single phase, developed on different levels, with the “descending step” exploitation technique.

### QUARRY'S PRODUCTION SYSTEM

- extraction of large-sized material from the mountain
- cutting of the material extracted into smaller pieces
- final handling and marketing of the finished product (squared and shapeless blocks)

### QUARRYING OPERATIONS

- traditional methodology used in the stone area
- horizontal and vertical cuts made with cutting machines
- removal of banks with mechanical handling equipment

### MATERIALS EXTRACTED

- marbles of various precious qualities, the so-called “colored marbles”



### LONG-TERM PRODUCTION OF:

Statuary marble, Calacatta marble, Crema marble, Cipollino marble, White Zebrino marble, Black Zebrino marble



## Product description




The analyzed product is 1 m<sup>2</sup> of manufactured marble of varying thickness, for buildings and construction works:

Bettogli marble slab (thickness 2 cm);  
Bettogli marble slab (thickness 3 cm).

PHYSICAL CHARACTERISTICS	UNIT OF MEASURE	BETTOGLI MARBLE
Compression breaking load	Kg/cm <sup>2</sup>	1173
Breaking load after freezing	Kg/cm <sup>2</sup>	1097
Unitary bending tensile strength	Kg/cm <sup>2</sup>	194
Thermal expansion coefficient	mm/m°C	0,0027
Water imbibition coefficient	%	0,11
Impact resistance	cm	61
Weight per unit of volume	Kg/m <sup>3</sup>	2700

Classification according to the UNCPC code: 151 Monumental and building stone, in particular (15120 “Marble and other calcareous monumental or building stone”).



The product contains no hazardous substances and no substances of very high concern (SVHC) on the REACH Candidate List/ published by the European Chemicals Agency in a concentration more than 0,1% (by unit weight).

### *Content declaration*

PRODUCT CONTENT	Kg /d.u.
Marble	54
PACKAGING MATERIALS	
Wood	0,503
BIOGENIC CARBON CONTENT	Kg C/d.u.
Biogenic Carbon content in product	0
Biogenic Carbon content in accompanying packaging	0,251

### *Biogenic carbon*


Sequestered biogenic carbon stocked in the packaging in module A1 is balanced in module A3, where the packaging leaves the product system.



The EPD is a declaration of the environmental performance of a product or service: this declaration follows the voluntary certification scheme of ISO14025 standard. The EPD is an evaluation and communication tool for environmental performance of a product (or service), based on the use of LCA methodologies (Life Cycle Assessment).



The methodology that forms the technical basis for a wide range of feasible actions aimed at increasing the sustainability of products, since helps to understand the impact generated on the environment by the products.



For this EPD, in accordance with the reference standards, the concept of “declared unit” is used, instead of “functional unit”.

#### DECLARED UNIT

1 m<sup>2</sup> of worked marble slab from the quarry called “Bettogli B” with thicknesses of 2 cm.

#### REFERENCE YEAR

The data used refer to the calendar year 2024.  
Study carried out in the year 2025.

## System boundary

This EPD is of the “cradle to gate with options” type and includes the mandatory modules:

- |                         |   |
|-------------------------|---|
| <b>A1</b> Raw materials | <b>C1</b> Deconstruction/Demolition         |
| <b>A2</b> Transport     | <b>C2</b> Transport to waste processing     |
| <b>A3</b> Manufacturing | <b>C3</b> Waste processing                  |
|                         | <b>C4</b> Disposal                          |
|                         | <b>D</b> Reuse/Recovery/Recycling potential |

	PRODUCT STAGE			CONSTRUCTION PROCESS STAGE		USE STAGE							END-OF-LIFE STAGE				RESOURCE RECOVERY STAGE
	Raw material supply	Transport of raw materials	Manufacturing	Transport to customer	Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	Decostruction/Demolition	Transport to waste processing	Waste processing	Disposal	Reuse/Recovery/Recycling potential
MODULE	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
MODULES DECLARED	X	X	X	ND	ND	ND	ND	ND	ND	ND	ND	ND	X	X	X	X	X
GEOGRAPHY				-	-	-	-	-	-	-	-	-	GLO	GLO	GLO	GLO	GLO
SPECIFIC DATA	60%			-	-	-	-	-	-	-	-	-	-	-	-	-	-
VARIATION PRODUCTS	GWP-GHG 23%			-	-	-	-	-	-	-	-	-	-	-	-	-	-
VARIATION SITES	0			-	-	-	-	-	-	-	-	-	-	-	-	-	-

*The environmental performance results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks.*



QUARRY



TRANSPORT  
BLOCKS



SAWMILL



TRANSPORT  
SLABS



FINISH



FINAL  
PRODUCT



## Production A1 - A3

**A1** The production cycle of the quarry consists in the extraction of large-sized material from the mountain, in the subsequent cutting of the material extracted into smaller pieces and then in the final handling and marketing of the finished product (squared and shapeless blocks).

EXTRACTION  
CUTTING  
FINAL HANDLING  
MARKETING

**A2** Heavy vehicles of recent manufacture, category Euro 6, transport the marble blocks leaving the quarry with a maximum capacity of 32 tons. Part of the blocks are transported directly from quarry to the Canale sawmill, while the remainder is initially transported to the warehouse in via Del Bravo and only subsequently to the sawmill.

TRANSPORT BLOCKS  
WITH HEAVY VEHICLES

**A3** The processes carried out within the production sites of Franchi Umberto Marmi S.p.A. were divided into 3 phases:

SQUARING/SAWING  
SURFACE PROCESSING  
PACKING

- Squaring and Sawing
- Surface processing - Resin coating
- Packing

Other activities carried out on the site are related to product handling, office and showroom activities and wastewater treatment processes.




## End of life C1 - C2 - C3 - C4

**C1-C2-C3-C4**

REUSE  
RECYCLING

When a marble slab reaches its end of life it can undergo reuse, recycling or disposal. The 100% recycling scenario was used:



The RSL (Reference Service Life), given the nature of the product and its intended use, is estimated to be equal to the lifetime of the installation building, equal to 50 years. Module D is referred only to recycling of marble slabs (excluding packaging). The results of the end-of-life stage (modules C1-C4) should be considered when using the results of the product stage (modules A1-A3).

### Cut off

The environmental impacts relating to personnel, infrastructures, production of materials not directly consumed in the production process have not been quantified. All process inputs and outputs have been included in the calculation.



## Data quality declaration

PROCESS	SOURCE TYPE	SOURCE	REFERENCE YEAR	DATA CATEGORY	SHARE OF PRIMARY DATA OF GWP-GHG RESULTS FOR A1-A3
RAW MATERIAL EXTRACTION (QUARRY OPERATIONS)	Collected data	EPD owner	2024	PRIMARY DATA	49,67%
GENERATION OF ELECTRICITY USED IN MANUFACTURING OF PRODUCT	Database	Ecoinvent 3.10	2024	PRIMARY DATA	6,47%
GENERATION OF ELECTRICITY USED BY SUBCONTRACTORS	Database	Ecoinvent 3.10	2024	SECONDARY DATA	0%
TRANSPORT OF MARBLE	Collected data	Supplier	2024	PRIMARY DATA	4,59%
PRODUCTION OF RESIN	Database	Ecoinvent 3.10	2024	SECONDARY DATA	0%
OTHER PROCESSES	Database	Ecoinvent 3.10	2024	SECONDARY DATA	0%
				<b>TOTAL PRIMARY DATA</b>	<b>60,7%</b>

The share of primary data is calculated based on GWP-GHG results. It is a simplified indicator for data quality that supports the use of more primary data, to increase the representativeness of and comparability between EPDs. Note that the indicator does not capture all relevant aspects of data quality and is not comparable across product categories. The quality of the data used in the model was assessed according to the criteria reported in Annex E (Table E.1) of the EN 15804:2012+A2:2019 standard (UN Environment Global Guidance on LCA database development). The evaluation considered Technological (TeR), Geographical (GeR), and Time-related (TiR) Representativeness. The overall data quality for the life cycle stages was assessed as “Very good” for the Upstream and Core stages and “Good” for the Downstream stage .

## Environmental performance

### Production stages A1 -A3

Environmental impact of 1 m<sup>2</sup> of Bettogli marble slabs - 2 cm thick.

IMPACT CATEGORY	REFERENCE UNIT	A1 - A3	C1	C2	C3
ADP (FOSSIL)	MJ	8.62E+01	1.05E+00	4.29E+00	3.06E-01
ADP (MINERALS AND METALS)	Kg SBeq	2.81E-05	2.96E-08	8.14E-07	3.25E-08
AP	MOLE H+eq	5.35E-02	2.86E-04	1.69E-03	6.72E-05
EP FRESHWATER	Kg Peq	1.25E-03	2.36E-06	2.30E-05	1.14E-05
GWP BIOGENIC	Kg CO <sub>2</sub> eq	6.51E-03	7.17E-06	5.20E-05	3.14E-05
GWP FOSSIL	Kg CO <sub>2</sub> eq	6.32E+00	8.14E-02	2.94E-01	1.33E-02
GWP LULUC	Kg CO <sub>2</sub> eq	4.97E-03	7.00E-06	1.17E-04	3.92E-05
GWP TOTAL	Kg CO <sub>2</sub> eq	6.33E+00	8.14E-02	2.94E-01	1.34E-02
EP MARINE	Kg Neq	1.78E-02	1.18E-04	6.88E-04	1.18E-05
ODP	Kg CFC-11 eq	1.46E-07	1.23E-09	4.35E-09	2.23E-10
POCP	Kg NMVOC	5.86E-02	4.56E-04	2.44E-03	3.53E-05
EP TERRESTRIAL	MOLE Neq	2.14E-01	1.29E-03	7.51E-03	1.04E-04
WDP	m <sup>3</sup>	6.37E+00	1.41E-02	1.10E-01	4.97E-02

C4	D	Product Variation % (A - C)
0.00E+00	-6.80E+00	25.1 %
0.00E+00	-2.93E-06	7.0 %
0.00E+00	-3.37E-03	23.0 %
0.00E+00	-1.76E-04	12.3 %
0.00E+00	-5.84E-04	6.9 %
0.00E+00	-5.54E-01	25.0 %
0.00E+00	-5.10E-04	14.2 %
0.00E+00	-5.55E-01	24.9 %
0.00E+00	-7.95E-04	28.9 %
0.00E+00	-4.43E-09	17.0 %
0.00E+00	-2.66E-03	29.4 %
0.00E+00	-9.58E-03	26.4 %
0.00E+00	-3.78E+00	14.6 %

Life cycle impact assessment methods used: core environmental impact indicators of EN 15804:2012+A2:2019/AC:2021. The characterisation factors (CF) are based on version 3.1 of the reference package for CFs used in the PEF framework (EF 3.1).

Purchased electricity used in the manufacturing process accounts for less than 10% of the GWP-GHG results of modules A1-A3 and its climate impact is 0.060 kg CO<sub>2</sub> eq./kWh (using the GWP-GHG indicator).

100% of electricity purchased in module A3 is covered by Guarantees of Origin.

Biogenic carbon and recovered energy leaving the product system in modules A5 (packaging) have been balanced out already in modules A1-A3.


## Environmental performance

### Production stages A1 -A3

Environmental impact of 1 m<sup>2</sup> of Bettogli marble slabs - 2 cm thick.

RESOURCE CONSUMPTION				
IMPACT CATEGORY	REFERENCE UNIT	A1 - A3	C1	C2
PERT	MJ	8.32E+01	6.47E-03	5.56E-02
PERM	MJ	0.00E+00	0.00E+00	0.00E+00
PERE	MJ	8.32E+01	6.47E-03	5.56E-02
PENRT	MJ	8.62E+01	1.05E+00	4.29E+00
PENRM	MJ	0.00E+00	0.00E+00	0.00E+00
PENRE	MJ	8.04E+01	9.50E-01	3.89E+00
SM	Kg	2.73E-01	6.24E-04	3.25E-03
RSF	MJ	9.71E-02	7.38E-05	4.58E-04
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00
FWT	m <sup>3</sup>	5.45E-02	6.86E-05	6.14E-04

C3	C4	D
6.96E-02	0.00E+00	-6.58E-01
0.00E+00	0.00E+00	0.00E+00
6.96E-02	0.00E+00	-6.58E-01
3.06E-01	0.00E+00	-6.80E+00
0.00E+00	0.00E+00	0.00E+00
3.00E-01	0.00E+00	-6.54E+00
4.60E-03	0.00E+00	-2.17E-02
2.59E-03	0.00E+00	-6.93E-03
0.00E+00	0.00E+00	0.00E+00
2.50E-04	0.00E+00	-1.95E-02



thick slabs | 2 cm

## Environmental performance

### Production stages A1 -A3

Environmental impact of 1 m<sup>2</sup> of Bettogli marble slabs - 2 cm thick.

WASTE				
IMPACT CATEGORY	REFERENCE UNIT	A1 - A3	C1	C2
HWD	Kg	2.39E-01	9.13E-04	4.99E-03
NHWD	Kg	1.71E+00	6.85E-03	3.68E-02
RWD	Kg	6.10E-05	1.16E-07	9.17E-07
CRU	Kg	-2.83E-19	-5.65E-21	-1.86E-20
MFR	Kg	1.88E-01	5.15E-04	2.70E-03
MER	Kg	4.36E-05	3.31E-08	2.06E-07
EE	MJ	6.02E-02	7.20E-05	7.56E-04

ADDITIONAL INDICATOR				
IMPACT CATEGORY	REFERENCE UNIT	A1 - A3	C1	C2
GWP - GHG	Kg CO <sub>2</sub> eq	6.33E+00	8.14E-02	2.94E-01



C3	C4	D
3.70E-04	0.00E+00	-2.94E-02
2.22E-03	0.00E+00	-1.69E-01
2.13E-06	0.00E+00	-1.31E-05
-9.10E-22	0.00E+00	7.23E-21
4.39E-03	0.00E+00	-1.72E-02
1.16E-06	0.00E+00	-3.11E-06
1.41E-03	0.00E+00	-5.69E-03

C3	C4	D	Product Variation % (A - C)
1.34E-02	0.00E+00	-5.55E-01	33.0 %



The function of design is to draw things that last forever, not ephemeral. When something is ephemeral, it is valid for what it is worth: nothing.

*Massimo Vignelli*

## Acronyms

### Environmental impacts:

ADP<sup>1</sup> - Abiotic Depletion Potential (minerals & metals)  
ADP<sup>1</sup> - Abiotic Depletion Potential (fossil)  
AP - Acidification Potential  
EP - Eutrophication Potential  
GWP - Global Warming Potential  
ODP - Ozone Depletion Potential  
POCP - Photochemical Ozone Creation Potential  
WDP<sup>1</sup> - Water Deprivation Potential

### Resource consumption:

PERT - Total use of renewable primary energy resources  
PERM - Use of renewable primary energy resources used as raw materials  
PERE - Use of renewable primary energy excluding renewable primary energy resources used as raw materials  
PENRT - Total use of non-renewable primary energy resources  
PENRM - Use of non-renewable primary energy resources used as raw materials  
PENRE - Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials  
SM - Use of secondary material  
RSF - Use of renewable secondary fuels  
NRSF - Use of non-renewable secondary fuels  
FWT - Total use of net fresh water

### Waste production:

HWD - Hazardous waste disposed  
NHWD - Non-hazardous waste disposed  
RWD - Radioactive waste disposed  
CRU - Components for reuse  
MFR - Materials for recycling  
MER - Materials for energy recovery  
EE - Exported energy

<sup>1</sup> **Disclaimer:** The results of this environmental impact indicator shall be used with care as the uncertainties on the results are high or as there is limited experienced with the indicator.



HOME  
DESIGN

## Verification and registration

EPD of construction products may not be comparable if they do not comply with EN 15804:2012+A2:2019/AC:2021.

Environmental Product Declaration within the same product category from different programs may not be comparable.

CEN standard EN 15804 served as the core PCR

Product Category Rules (PCR)

International EPD System - PCR 2019:14 - “Construction products”

Version 2.0.1



## References

AIB - Association of Issuing Bodies (2025). European Residual Mixes - Results of the calculation of Residual Mixes for the calendar year 2024 (Version 1, 2025-05-30).

CEWEP 2012, Confederation of European Waste-to-Energy Plants. Energy Report III (December 2012).

Chiappino C., Trabucco J. (2025), LCA Study Report rev.02 Franchi Umberto Marmi S.p.A.

De Ceuster, G., et al. (2009) TREMOVE: Final Report. Model code v2.7b, 2009. European Commission, Brussels.

Ecoinvent Centre (November 2023) Ecoinvent data v3.10. Swiss Centre for Life Cycle Inventories, Dübendorf, Switzerland.

EMEP/EEA air pollutant emission inventory guidebook 2016; '1.A.4 non-road mobile machinery'.

IPCC, 2006. Guidelines for National Greenhouse Gas Inventories.

ISPRA 2017, Istituto Superiore per la Protezione e la Ricerca Ambientale: Rapporto Rifiuti Urbani, Edizione 2017; Rapporti 272/2017. ISBN 978-88-448-0852-5.

Keller, M. et al. (2010) Handbook emission factors for road transport v3.1, HBEFA. INFRAS, Berne, CH.

Knörr, W. et al. (2011) Ecological Transport Information Tool for Worldwide Transports (EcoTRANSIT): Methodology and data update. Berlin, Hannover, Heidelberg, DE.

Ntziachristos, L., et al. (2013) EMEP/EEA air pollutant emissions inventory guidebook 2009: Exhaust emissions from road transport. European Environment Agency, Copenhagen, DK.

Spielmann, M., et al. (2007) Transport Services. ecoinvent report No. 14., Swiss Centre for Life Cycle Inventories, Dübendorf, CH. From combustion of fuel in the engine. The dataset takes as input the infrastructure of the lorry and road network, the materials and efforts needed for maintenance of these and the fuel consumed in the vehicle for the journey. The activity ends with the transport service of 1tkm and the emissions of exhaust and non-exhaust emissions into air, water and soil.

EPD International, 2024a. General Programme Instructions for the International EPD System. Version 5.0.1

PCR 2019:14. CONSTRUCTION PRODUCTS. Version 2.0.1



## Contact information

### EPD Owner

FRANCHI UMBERTO MARMI S.p.A.

Via Del Bravo 14/16 - Carrara (MS), Italy  
tel. (+39) 0585 70057

*e-mail:* fragroup@tin.it

[www.franchigroup.it](http://www.franchigroup.it)

### LCA Author

Ing. CARLO GRASSI, Dr. JONATHA TRABUCCO

Via del Chiassatello - Corte SANAC 110 - Pisa (PI), Italy  
tel. (+39) 338 1647124 - fax (+39) 050 23399

*e-mail:* carlo.grassi@gmail.com

## Differences versus previous version

2020-12-11 Version 1

2022-05-12 Version 2

2022-12-14 Version 3

2023-10-11 Version 4

2024-04-29 Version 5

2025-07-21 Version 6

### Variation of results

The variation in results is due to:

- Update of the mix of electricity consumed (100% renewable with guarantee of origin in module A3);
- Updating of primary activity data;
- Inclusion of the amount of resin an energy used by third parties for the processing of the slabs
- Study updated to GPI 5.0.1 and PCR 2.0.1



FRANCHI UMBERTO MARMI S.p.A.  
Via Del Bravo 14-16 - Carrara (MS), Italy  
tel. (+39) 0585 70057  
e-mail: [fragroup@tin.it](mailto:fragroup@tin.it)  
[www.franchigroup.it](http://www.franchigroup.it)